

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Art Unit: 2600

CLMPTO

AYC

06/06/02

PLEASE AMEND CLAIMS 5 AND 6, 19-21.

1. A light emitting device including an OLED, a first wiring, a second wiring, a first TFT, and a second TFT, wherein:

a pixel electrode of the OLED is connected with the first wiring through the first TFT;

the pixel electrode is connected with the second wiring through the second TFT;

and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

2. A light emitting device including an OLED, a first wiring, a second wiring, a first TFT, and a second TFT, wherein:

a pixel electrode of the OLED is connected with the first wiring through the first TFT;

the pixel electrode is connected with the second wiring through the second TFT;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT; and

Art Unit: 2600

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

3. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

4. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

Art Unit: 2600

5 (Amended). A light emitting device according to claim 1, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

6 (Amended). A light emitting device according to claim 1, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

7. A light emitting device including a signal line, a scan line, an OLED, a power source line, a discharge line, a first TFT, a second TFT, and a third TFT, wherein:

switching of the third TFT is controlled by a potential of the scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

8. A light emitting device including a signal line, a scan line, an OLED, a power source line, a discharge line, a first TFT, a second TFT, and a third TFT, wherein:

switching of the third TFT is controlled by a potential of the scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT; and

the gate electrode of the first TFT and the gate electrode of the second TFT are connected with each other.

9. A light emitting device including a signal line, a first scan line, a second scan line, an OLED, a power source line, a discharge line, a first TFT, a second TFT, a third TFT, and a fourth TFT, wherein:

switching of the third TFT is controlled by a potential of the first scan line;

switching of the fourth TFT is controlled by a potential of the second scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

when the fourth TFT is in an on state, a potential of the power source line is applied to the gate electrode of the first TFT and the gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through

the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

10. A light emitting device including a signal line, a first scan line, a second scan line, an OLED, a power source line, a discharge line, a first TFT, a second TFT, a third TFT, and a fourth TFT, wherein:

switching of the third TFT is controlled by a potential of the first scan line;

switching of the fourth TFT is controlled by a potential of the second scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

when the fourth TFT is in an on state, a potential of the power source line is applied to the gate electrode of the first TFT and the gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT; switchings of the first TFT and the second TFT are controlled by the digital video signal;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT; and

the gate electrode of the first TFT and the gate electrode of the second TFT are connected with each other.

11. A light emitting device in which a plurality of pixels are provided, each of the pixels including a signal line, a scan line, an OLED, a power source line, a first TFT, a second TFT, and a third TFT, wherein: in each pixels,

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the scan line of another pixel through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal;

when one of the first TFT and the second TFT is in an on state, the other is in an off state; and

the third TFT and the second TFT has the same polarity.

12. A light emitting device in which a plurality of pixels are provided, each of the pixels including a signal line, a scan line, an OLED, a power source line, a first TFT, a second TFT, and a third TFT, wherein: in each pixel,

switching of the third TFT is controlled by a potential of the scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal

Art Unit: 2600

line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the scan line of another pixel through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT;

the first TFT and the second TFT have the same polarity; and

the gate electrode of the first TFT and the gate electrode of the second TFT are connected with each other.

13. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

when a potential of the counter electrode is lower than that of the power source line, a potential of the discharge line is lower than that of the power source line;

when a potential of the counter electrode is higher than that of the power source line, a potential of the discharge line is higher than that of the power source line;

the pixel electrode is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

14. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

a potential of the counter electrode is lower than that of the power source line;

a potential of the discharge line is lower than that of the power source line;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

the first TFT is a p-channel TFT and the second TFT is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

15. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

a potential of the counter electrode is higher than that of the power source line;

a potential of the discharge line is higher than that of the power source line;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

the first TFT is a p-channel TFT and the second TFT is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

Art Unit: 2600

16. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

the counter electrode and the discharge line are kept at the same potential;

the pixel electrode is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

17. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

the counter electrode and the discharge line are kept at the same potential;

a potential of the counter electrode and a potential of the discharge line are lower

than that of the power source line;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

the first TFT is a p-channel TFT and the second TFT is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

18. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

the counter electrode and the discharge line are kept at the same potential;

a potential of the counter electrode and a potential of the discharge line are higher than that of the power source line;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

the first TFT is a p-channel TFT and the second TFT is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

Art Unit: 2600

Please add the following new claims:

22 (New). A light emitting device according to claim 2, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

23 (New). A light emitting device according to claim 3, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

24 (New). A light emitting device according to claim 4, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

256 (New). A light emitting device according to claim 2, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

26 (New). A light emitting device according to claim 3, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

27 (New). A light emitting device according to claim 4, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

28 (New). A light emitting device according to claim 14, wherein the organic light emitting layer contains an organic light emitting material in which phosphorescence from a triplet excitation can be utilized for producing light emission.

Art Unit: 2600

29 (New). A light emitting device according to claim 15, wherein the organic light emitting layer contains an organic light emitting material in which phosphorescence from a triplet excitation can be utilized for producing light emission.

30 (New). A light emitting device according to claim 16, wherein the organic light emitting layer contains an organic light emitting material in which phosphorescence from a triplet excitation can be utilized for producing light emission.

31 (New). A light emitting device according to claim 17, wherein the organic light emitting layer contains an organic light emitting material in which phosphorescence from a triplet excitation can be utilized for producing light emission.

32 (New). A light emitting device according to claim 18, wherein the organic light emitting layer contains an organic light emitting material in which phosphorescence from a triplet excitation can be utilized for producing light emission.

33 (New). A light emitting device according to claim 8, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

34 (New). A light emitting device according to claim 9, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

35 (New). A light emitting device according to claim 10, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

36 (New). A light emitting device according to claim 11, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

37 (New). A light emitting device according to claim 12, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

37 (New). A light emitting device according to claim 12, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

38 (New). A light emitting device according to claim 13, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

39 (New). A light emitting device according to claim 14, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

40 (New). A light emitting device according to claim 15, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

41 (New). A light emitting device according to claim 16, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

42 (New). A light emitting device according to claim 17, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

43 (New). A light emitting device according to claim 18, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

44 (New). A light emitting device according to claim 8, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

45 (New). A light emitting device according to claim 9, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

46 (New). A light emitting device according to claim 10, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

47 (New). A light emitting device according to claim 11, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

48 (New). A light emitting device according to claim 12, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

Art Unit: 2600

49 (New). A light emitting device according to claim 13, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

50 (New). A light emitting device according to claim 14, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

51 (New). A light emitting device according to claim 15, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

52 (New). A light emitting device according to claim 16, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

53 (New). A light emitting device according to claim 17, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

54 (New). A light emitting device according to claim 18, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.